

ZSH SKR KRV DNR ZVHSI

OPSYSWEB SISTEM ZA PORUČIVANJE I PRAĆENJE PORUDŽBINA

3

0

Uputstvo za korisnika

Poručivanje

Korak 1. Log in

- 1. Na stranici www.essilor.rs kliknite na Opsysweb
- 2 Upišite svoje korisničko ime i lozinku
- 3. Kliknite na Log in



Klikom na središnje ikone pokrećete procese:

- Porudžbine (za nove porudžbine)
- Praćenje porudžbina (za poslate porudžbine)
- Upravaljanje oblicima okvira, ukoliko imate spojen tracer ili Visioffice

Korak 2. Poručivanje

Stranica je podeljena na četiri logičke celine:

					Concession (1)	stories areas taken attent
	Party.			(Instanting	to the second se	
2.1 Podac	i poslovni	ce			27%	
2.2 Unos	, pacijenta i	i recent				No. (1) No. (3)
				r some		
		100	Sector Contraction	the Highland of		(mp and a
			Seculi	the liter treated of		transfer .
2.3 Odabir sočiva			Security	Pro Tradition		- manna
			Bectas	the manual of		
			Brid.	and the law		
dew .			Marcial Control of Con	Pre liter		
			Be Lill	Deci.		and the second s
			and a second			
The second se				the must be the		
les			There are a second s	Date () and () and () and ()		and a set of the set o

Tokom poručivanja sva polja sa zvezdicom * su obavezna za unos. Ukoliko postoji samo jedna mogućnost za odabir, tada će taj odabir biti automatski.

Korak 2.1 Podaci poslovnice

epopelie adam					
Kame*	 Podonica *	felm	nts purveillants	Konwelan	
000480	 10046				
				7000	
				a second	

U poljima Referenca, Komentar i PO broj, ako želite možete upisati neke svoje oznake ili reference. Ta polja se ne uzimaju u obzir kod porudžbine.

Korak 2.2 Unos pacijenta i recept

Hand Smithani Batha C	. tre	have (20)	burnes (20)
kacept Dies* Calintat Os Aditija		1	
Desing sites			

- Unos prezimena pacijenta je obavezno
- Ako je upisan cilindar, obavezno je upisati ugao
- Kod upisivanja dioptrije, minus (-) se mora upisati, plus (+) nije potrebno
- Strelicom ${f O}$ kopirate unos sa jednog oka na drugo
- Moguće su dve decentracije ili dve prizme po oku (obavezno upisati os)

Korak 2.3 Odabir sočiva

Pomoću filtera olakšavate Odaberite Essilor ili Smile Sočiva možete pretraživati i po imenu izbor ponuđenih sočiva sočiva

EVE PAUDAITS	Oduben ponudu		Salessile ključne reči ili broj	
EV.Adam	TIP SOČIVA	B DIZAJH	8 MATERIJAL	
Receptura Lager	🗢 Monsfokalna	Sferrei LAG	Orma 1.5 Crital/ID Sapphine" UV	DODAJ SOČIVIT-
K1	🖈 Monofolialma	tifemi LAG	Orma 1.5 Cribal® Prevencia/9 UV	overa reaction
1.5 1.59 PC	🗘 Monofokalma	tifermi LAO	Orms 1.5 Drizal@ Alizad9 UV	DOBA J BODING
1.6 1.67	😒 Monofokalita	(ferri LAG	Orma 1.5 Drizal® Easy® UV	pona, and we
Aufi vite_	🗘 Monsfokatea	Sferni LAG	Orms 1.5 Thio Clean	DISDAL BUDDAN
	🗘 Manofokalina	Efermi LAG	Orma 1.5 Sugra	DORY INDA
Honolokalna Shema Honolokalna Asferta Doomesiona	O Ménufokalina	oferni LAG	Ormi 1.5	ponu sebre
Progresivna Shart Progresivna Personalizovana	🛛 Monofokalina	Sferri (.AG	Orma 1.5 Orizaith San UV Siva	DODAL SOCIAL
auft elle	🖈 Manafokalina	Sfermi LAG	Onnis 1.5 Orizabilit Sun UV Brann	DODAL INDIAN
.m	😒 Manufokalna	Sherni LAG	Orma 1.5 Crizal@ Sun UV Sixo-Zelena	DOBAL SOCIAL
Esslar® Multivision	Po Papel 1 1 1	i t lands lang	12 20	Report to the lat

Često korišćena sočiva označite kao favorite

Nakon odabira sočiva, potrebno je odabrati: *doradu, boju (opcionalno) te prečnik (ili precal) te razmak i visinu zenica.*

92540 nmm U210	THE PROMENT SOLDAR TO PROVIDE
VARUUKO X DEJION - ORMA 1.5 EYE PROTECT SYSTEM"	
Predrek.* B 55/60 55/50E 66/65 86/55E 65/78E 76/75E 76/75E 75/76E 75/60E Nema Precat	Prechik * L 55/00 55/00E 60/05 80/06E 60/05 80/06E 65/70E 75/9E

Kod nekih sočiva potrebno je uneti i posebne parametre nosioca ili okvira. Polja za individualne parametre će se automatski pojaviti kada se odabere takvo sočivo.

Korak 2.4 Odabir oblika

Za izračun debljina sočiva te upotrebu Precal-a potrebno je definisati oblik okvira.

Ukoliko nemate tracer, možete odabrati između 8 standardnih oblika (najčešće korišćena opcija).



Porudžbina je sada spremna za izračun i/ili slanje.

Na desnoj strani ekrana imate "plivajući" izbornik gde odaberete slanje, izračun ili čuvanje porudžbine ili poređenje sočiva:



Dodaj sočivo za poređenje.

Spremanje porudžbine (Spremljena porudžbina se nalazi na stranici pretraživanja u izborniku - Skice).



Kalkulacija

Slanje porudžbine (Nakon slanja, porudžbinu možete stornirati u roku od 10 min, u izborniku za pretraživanje).

Praćenje porudžbina

Korak 3. Praćenje porudžbina

Spremljene		e Fornozhine					Storniranje ponavljanj	e, pregled i ie porudžbi
nesite kljubne redi ili broj			PRE	TRAGA	edno pretraživanje			
BROJ PORUDŽBINE	IME PACIJENTA	IME PROIZVODA	KORISHIK	POSLOVNICA	DATUM PORUDŽBINE	PROCENJENI DATUM ISPORUKE / ID	STATUS	AKCIJE
RX15YU	NRE 1	As: Ormik 1.6 As: Ormik 1.6	0200486 - 0200486	0200486 - 0200486	10/04/2019 - 11:12:42	-	Order removed from the MQ	COARCER-
RX15NQ	test	Essilor Eyezen Start Stylis EPS	0200486 - 0200456	0200486 - 0200486	02/04/2019 - 15:25:13	3 an 1	Stornirano	DOARERI-
RX15NP	test	Essilor Eyezen Start Stylis EPS	0200486 - 0200486	0200486 - 0200486	02/04/2019 - 15:23:55	-	Stomirano	DOABERS-
RX15DV	2	Ormix XTRA Gury Onmix XTRA Grey	0200486 - 0200486	0200486-0200486	29/03/2019 - 14:23:16	-	Order removed from the MQ	OGABINI-
RX150F	222	Orma Trio Clean Orma Trio Clean	0200486 - 0200486	9200486 - 9200486	19/03/2019- 15:58:41	~	Order removed from the MQ	ODARER

Nakon slanja, porudžbinu možete stornirati u roku od 10 min.

OPSYSWEB JE VIŠE OD OBIČNOG KATALOGA PROIZVODA.

OPSYSWEB VAM PRUŽA DNEVNU PODRŠKU ZA ONLINE PORUČIVANJE SOČIVA I PRAĆENJE PORUDŽBINA.



Optimizirana pretraga



Izbornik - favoriti



Izračunavanje debljine sočiva



Poređenje debljine sočiva





Platforma prilagođena različitim digitalnim medijima



Praćenje porudžbina